



Incorporating

* AFEAN

Series NV Non-vision grilles

- Sight blocking design ensures privacy is maintained
- Perfect for areas like changing rooms
- Four models available including units to suit door mounting and dark room installations





Series NV

Series NV non-vision grilles are intended to provide good levels of ventilation for areas where privacy must be ensured; bathrooms or hospital examination rooms for example.

Available in the following models:

NV1: Standard flanged grille.

NV2: As NV1 but with a spare backing frame for fitting into doors.


NV3: Double layered grille intended for dark-rooms.

NV4: Slimline surface mounted with a non chevron blade. Designed

to suit fire doors.

Please note: A very narrow sight line can be gained through NV4

grilles if looked at from directly below.



Material Extruded aluminium frame and core

Frame NV1 - NV3: 37BN - 37mm bevelled

NV4: SMS - Surface mounted small

Sizes Minimum: 100mm x 100mm

Maximum: 2900mm x 2900mm

Fixings Standard: None

Optional: See page 4

Finish Standard: Satin anodised (AA5)

Optional: See page 6

Mass/m² face area NV1: 12.5kg

NV2: 15 kg

NV3: 23 kg

NV4: 11 kg

Free area NV1 - NV3: Approx 38%

NV4: Approx 30%

Quality assurance

HVC Supplies (Stourbridge) Ltd is an ISO 9001 certified company.






Assessed to ISO 9001 Cert/Ref No. 1186




Models

NV1: Standard flanged grille




NV3: Double layered grille for darkrooms

Two grilles supplied separately with trimmed frames for mounting either side of an aperture.




NV2: Door grille

As NV1 but with a spare frame for mounting on the other side of a door.



NV4: Surface mounted

Designed for use in fire doors to conceal an intumescent fire damper, HVC Series IFB60 / IFB120 (supplied separately).





Stocked sizes

The following sizes of Series NV4 surface mounted non-vision grilles are held in stock in satin anodised finish and with prepunched fixing holes, available for immediate despatch.

150mm²

200mm²

250mm²

300mm²

350mm²

400mm²

450mm² 500mm²

550mm²

600mm²

All sizes are nominal.


Product code: NV4 - FH - SAA

Fixings

Countersunk fixing holes: Code suffix FH

For extremely simple fitting, countersunk fixing holes can be punched into the outer frame.


Self tapping screws in the same finish as the grille are provided as standard.



Push-in clip method: Code suffix PC


These sprung clips are compressed when the grille is pushed into place. The outward force provided then holds the grille securely in place.

This fixing method is not suitable for use in ceilings, nor is it suitable for use with NV4 grilles.





Selection data (NV1 and NV2 only)





Finishes

Satin anodised aluminium

Polyester powder coating to any RAL or BS colour



Ordering codes

Example

1 - 400 x 400 - NV1 - FH - RAL9010

Codes

Quantity		
Size (mm)	(Width x height)	
Series	NV1 NV2	Standard flanged non-vision grille As NV1 but with spare backing frame for use with doors Please state if deeper frame is required for doors up to 78mm thick
	NV3 NV4	Double layered grille for dark-rooms Slimline surface mounted non-vision grille
Fixings	FH PC	Countersunk fixing holes (optional with NV1, 2 and 3, standard with NV4) Push-in clips (not for use in ceilings, not suitable for NV4 grilles)
Finish	SAA RAL BS	Satin anodised frame (standard) Polyester powder coated to RAL Polyester powder coated to BS
	Size (mm) Series Fixings	Size (mm) (Width x height) Series NV1 NV2 NV3 NV4 Fixings FH PC Finish SAA RAL

Important: Size will be taken to be nominal (hole internal) unless stated otherwise.

Leave code section blank if no option is required.

6 www.h-v-c.com





HVC & NCA products

HVC offer the significant advantage of manufacturing both in duct and duct terminal equipment, making us a one stop shop for all your HVAC needs.

The products shown below are a selection, not an exhaustive list. Go to **www.h-v-c.com** for details on all HVC and NCA products.

HVC: Grilles, Diffusers, Louvres and Volume Control Dampers



























NCA: Fire and Volume Control Dampers

















Assessed to ISO 9001 Cert/Ref No. 1186

All details within this brochure are correct at time of publication. However HVC's policy is one of continual product development. The right is reserved to alter any details published in this brochure without any prior notice. Any changes will appear on www.h-v-c.com as soon as is practically possible.

All information in this brochure is designed to be used for informative purposes only. HVC will not be legally bound by anything contained within this publication, or any other information distributed.

All references to companies not part of the HVC group of companies are used with the permission of their respective owners.

HVC Supplies (Stourbridge) Ltd Jason House Amblecote West Midlands DY8 4EY United Kingdom

Tel: +44 (0)1384 376555 Fax: +44 (0)1384 392555